

Report **MSDS**

Report No.: A001B20210125043

Samples Li-ion Polymer Battery Model 382527 **Applicant** EAST(SHENZHEN)TECHNOLOGY CO.,LTD Issue Date 2021-01-25

深圳市鑫宇环检测有限公司
Attestation of Global Compliance (Shenzhen) Co., Ltd.

The results enough the test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGO, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Attestation of Global Compliance

Tel: (86-755) 29081955 Fax: (86-755) 26008484 Http://www.agc-cert.com E-mail: aqc@aqc-cert.com Add: 2F., No.2 Building, Huafeng No.1 Technical Industrial Park, Sanwei, Xixiang, Baoan District, Shenzhen



Page 2 of 9

Material Safety Data Sheet

According to ISO11014:2009 & GB/T16483-2008

Section 1 - Chemical Product and Company Identification

Chemical product information

Sample Description: Li-ion Polymer Battery

Sample Model: 382527

Sample Receiving Date: 2021-1-5

Sample Uses: ---

Company information

Manufacturer: EAST(SHENZHEN)TECHNOLOGY CO.,LTD

Address: 11F, Taibang Technology Building, Nanshan District, Shenzhen City, China

Tel: 0755-86969968 0755-86006961

Fax: 0755-86006961 Post code: 518000

Emergency telephone: 0755-86969968

E-mail: 360649624@qq.com

Section 2 - Hazards Identification

Emergency overview: No information available.

Classification according to GHS: Not a dangerous substance according to GHS.

Label eleme	ents	
Hazard pictogram(s)	No available	
Signal word	No available	
Hazard statement(s)	No available	
Precautionary sta	tement(s)	
Prevention	No available	
Response	No available	
Disposal	No available	

Physical and chemical risk: No information available.

Health hazard: No information available.

Environmental hazards: No information available.

Other hazards: No information available.

The results show and this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by QQ, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Attestation of Global Compliance



Page 3 of 9

Section 3 - Composition, Information on Ingredients

Classification of the substance or mixture:

□ substance ⋈ mixture

	V	7, 37	
Chemical Composition	CAS No.	EC#	Weight (%)
Lithium Cobalt Oxide	12190-79-3	235-362-0	40.25
Copper Foil	7440-50-8	231-159-6	12.11
Graphite	7782-42-5	231-955-3	21.45
Electrolyte	_ * *,		20.73
Diaphragm Paper	4 0		0.25
Aluminum foil	7429-90-5	231-072-3	5.21

Note: CAS: Chemical Abstracts Service (Division of the American Chemical Society).

EC#: European Inventory of Existing Commercial Chemical Substances

"---": No Data

Section 4 - First Aid Measures

General information: No special measures required.

After inhalation: Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After skin contact: Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After eye contact: Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After swallowing: Do not induce vomiting. Get medical attention.

The main symptoms: No relevant details information.

Health effects: No relevant details information.

To protect the rescuers advice: No relevant details information.

To the doctor's advice: Need timely medical treatment and special symptoms, no relevant details

information.

Section 5 - Fire Fighting Measures

Suitable extinguishing agents: Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO₂.

Special hazards arising from the substance or mixture: Battery may burst and release hazardous

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (GC), this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com



Page 4 of 9

decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Attention extinguishing method and protective measures: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Homework personnel protective measures, protective equipment and emergency disposal procedures:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Steps to be taken in case material is spilled or released and Waste disposal method: Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water. All waste must refer to the United Nations, the national and local regulations for disposal.

To prevent the secondary disasters prevention measures:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling: Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking. Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection: Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles. Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

Section 8 - Exposure Controls, Personal Protection

Occupational exposure limit

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (CC) this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com



Page 5 of 9

Ingredients with limit values that re	quire monitoring at the workplace:
12190-79-3 Lithiu	um Cobalt Oxide
TLV (USA)	0.02 mg/m 3 .
MAK(Germany) 0.1mg/m ³ .	

Note: TLV: Threshold Limit Value

Biological limit: no relevant details information.

Detection: no relevant details information.

Engineering control

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Respiratory Protection: Use suitable respirator when high concentrations are present.

Personal Protection

Protection of hands	Eye protection		
Protective gloves	Tightly sealed goggles		

Section 9 - Physical and Chemical Properties

Information on basic p	hysical and chemical properties		
Appearance	Silvery		
Form	Prismatic		
Odour	Odorless.		
Electrical pr	operties information		
Voltage	3.7V		
Electric capacity 250mAh			
Watt-hour 0.925Wh			

Section 10 - Stability and Reactivity

Chemical stability: Stable in normal circumstances.

Possibility of hazardous reactions: Data not available.

Attestation of Global Compliance

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 600, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Tel: (86-755) 29081955 Fax: (86-755) 26008484 Http://www.agc-cert.com E-mail: agc@agc-cert.com Add: 2F., No.2 Building, Huafeng No.1 Technical Industrial Park, Sanwei, Xixiang, Baoan District, Shenzhen



Page 6 of 9

Incompatibilities: Oxidizing agents, acid, base.

Hazardous Combustible Products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 - Toxicological Information

Information on toxicological effects

Acute toxicity LD/LC50 Values relevant for classification: Not available.

Note: LC50: lethal concentration, 50 percent kill

LD50: lethal dose, 50 percent kill

Skin irritation/corrosion: No further relevant information available.

Eyes stimulus/corrosion: No further relevant information available.

Breathing or skin irritation: No further relevant information available.

Germ cell respectively: No further relevant information available.

Carcinogenicity: No further relevant information available. Reproductive toxicity: No relevant details information.

Specific target organ system toxicity disposable contact: No further relevant information available. Specific target organ system toxicity, repeated contact: No further relevant information available.

Inhalation hazard: No further relevant information available.

Potentially harmful effects: No further relevant information available.

Section 12 - Ecological Information

Ecological toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecological effects

Additional ecological information

General notes:Do not allow material to be released to the environment without proper governmental

permits.

Other adverse effects: No further relevant information available.

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 600, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Attestation of Global Compliance

Tel: (86-755) 29081955 Fax: (86-755) 26008484 Http://www.agc-cert.com E-mail: agc@agc-cert.com Add: 2F., No.2 Building, Huafeng No.1 Technical Industrial Park, Sanwei, Xixiang, Baoan District, Shenzhen



Page 7 of 9

Section 13 - Disposal Considerations

Waste treatment methods and Recommendation: Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging and Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

V	IATA	IMDG	
UN Number	N/A	N/A	
UN Proper shipping name	N/A	N/A	
Transport hazard class(es)	N/A	N/A	
Packing group	N/A	N/A	
Marine pollutant	No		

Note: IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods

Transport information:

According to the Packing Instruction 965 section IB of IATA DGR 62th Edition for transportation.

According to the special provision 188 of IMDG (39-18) or the << Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (20th). The package is subjected to non-restricted goods.

More information concerning shipping, testing, marking and packaging can be obtained from Label master at http://www.labelmaster.com.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea.

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 600, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com



Page 8 of 9

Section 15 - Regulatory Information

This Material Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006. The following laws, regulations, rules and standards of the substance or mixture of management to do the corresponding provisions:

do the corresponding provisions.					
Composition	CAS No.	IECSC	TSCA	DSL/NDSL	EINECS/ ELINCS/ NLP
Lithium Cobalt Oxide	12190-79-3	Listed	Listed	Listed	Listed
Copper Foil	7440-50-8	Listed	Listed	Listed	Listed
Graphite	7782-42-5	Listed	Listed	Listed	Listed
Aluminum foil	7429-90-5	Listed	Listed	Listed	Listed

Note: EINECS: European Inventory of Existing Chemical Substances

ELINCS: European List of Notified Chemical Substances

DSL: Canadian Domestic Chemical Substances

IECSC: Inventory of Existing Chemical Substances in China

NDSL: Canadian non-domestic Chemical Substances

TSCA: Toxic Substances Control Act of USA

Section 16 - Additional Information

Declare to reader

Attestation of Global Compliance

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by Checked by Approved by

Xuejiajia Zhuhmung

The results snown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by GO, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Tel: (86-755) 29081955 Fax: (86-755) 26008484 Http://www.agc-cert.com E-mail: agc@agc-cert.com Add: 2F., No.2 Building, Huafeng No.1 Technical Industrial Park, Sanwei, Xixiang, Baoan District, Shenzhen

whiti



Page 9 of 9

声 明 Statement

1、本报告无本单位报告专用章和批准人签章无效。

This report is invalid without the special seal for report of AGC and the signatures of approver.

2、本报告涂改和删除无效。

This report is invalid if it is blotted out and deleted.

3、委托单位对检测结果有异议,应于收到报告之日起十五日内向我司提出。

If the applicant has any questions about results, shall submit to AGC within 15 days.

4、本报告仅对客户所送样品负责。

This report is responsible for the sample provided by the client only.

5、 未经本单位许可, 不得部分复制、摘用本报告书内容。

This report shall not be reproduced except in full, or extracted, without the written approval of AGC.

6、客户必须如实提供样品及资料,否则本单位不承担任何相关责任。

The client should provide samples and relevant data, otherwise we will not bear any relevant responsibilities.

----报告结束---

End of report

The results showed (this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (QQ), this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.agc-cert.com

Attestation of Global Compliance